

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S1 | 669 | WAP adj2 server | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 16:55 |
| S2 | 156 | S1 and data adj2 transmi\$4 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 16:56 |
| S3 | 0 | S2 and explorer and activat\$3 adj2 application\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 16:56 |
| S4 | 10 | S2 and explorer | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 17:03 |
| S5 | 6 | server and list adj access\$3 adj (file\$1 or document or site\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 17:07 |
| S6 | 7 | S1 and (download\$3 adj2 application) with mobile | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 17:11 |
| S7 | 17 | (download\$3 adj2 application) with mobile and access\$3 adj2 file | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/08 17:13 |
| S8 | 4 | data with transmission and list adj2 (accessible adj (file\$1 or document)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:05 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S9 | 1 | firewall and (list adj2 (permit\$3 adj2 port\$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:08 |
| S10 | 20 | firewall and(permit\$3 adj2 port\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:13 |
| S11 | 149 | firewall and((permit\$3 or allow\$3) adj2 port\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:14 |
| S12 | 3 | firewall and(list adj2 ((permit\$3 or allow\$3) adj2 port\$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:16 |
| S13 | 2 | firewall and (list adj2 (allow\$3 adj2 port\$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:18 |
| S14 | 10 | (list adj2 (allow\$3 adj2 port\$1)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:22 |
| S15 | 652 | list with access\$3 with URL | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:22 |
| S16 | 121 | S15 and name with file and data with transmi\$5 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:23 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S17 | 12 | S16 and WAP | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:28 |
| S18 | 2040 | (server or (data adj server)) with (access adj file\$1) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:29 |
| S19 | 26 | S18 and (URL with (application and name and IP)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:40 |
| S20 | 665 | server and firewall and allowed with application\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:41 |
| S21 | 8 | S20 and WAP with client | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:45 |
| S22 | 36 | firewall and allowed adj2 port\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:57 |